

LOT  
NO.

-----  
DESCRIPTION

- 1 BATCH WEIGHING HOPPER AND SCALES, consisting of but not Limited to:\ Hopper, Welded Carbon Steel, 35" Straight wall Height x 7' Long x 5' Deep with 4' High Hopper Bottom having Air Actuated Knife Gate; Mechanical Load Cell Arms, FAIRBANKS-MORSE 5,000 lbs x 5 lbs. Graduations Analog Weight Read Out.
- 2 R.R. HOWELL SCREW AUGER CONVEYOR, U- Type, 10" diameter x 7' Long, Full Top Cover with Upper Inlet and Single Bottom Discharge, powered by Electric Motor Driving Through Reduction Gearbox.
- 3 SCREW AUGER CONVEYOR, U- Type, 10" Diameter x 11'6" Long Full Top Cover with Upper Infeed Inlet, 2- Bottom Discharge Gates, powered by Electric Motor Driving Through Reduction Gearbox.
- 4 H.C. DAVIS & SONS RIBBON MIXER, 2 ½ tons Capacity, 33" Straight Wall Height x 10' Long x 4' 7" Deep, Full Top Cover; Single, End Positioned Bottom Discharge having Air Operated Knife Gate: powered by GENERAL ELECTRIC 25 hp, 1770 rpm Electric Motor having 5- V Belt to Roller Chain and Sprocket Reduction Drive.
- 5 H.C. DAVIS 7 SONS RIBBON MIXER, 2 tons Capacity, 29" Straight Wall Height x 9'7" Long x 4'1" Deep, Full Top Cover, Single, End Positioned Bottom Discharge having Air Operated Knife Gate; powered by 25 hp Electric Motor having 5- V Belt to Roller Chain and Sprocket Reduction Drive.
- 6 ROTARY DRUM MIXER, Welded Carbon Steel, 6' Diameter x 8' Long, powered by Electric Motor with Open V- Belt and Roller Chain Double Reduction Drive, Mounted in Angle Iron Steel Frame.
- 7 WENGER MOLASSES MIXER, Welded Carbon Steel, 54" High x 48" Wide x 40" Deep Tank, 12" Diameter x 60" long Mixing Chamber, with BUFFALO METER CO.Pounds/Gallons Flow Unit having Analog Meter Face, Intergal Feed Screw Auger Conveyor, U- Type, 10" Diameter x 46" Long powered by U S ELECTRIC MOTORS 15 hp Electric Motor.
- 8 STASKAL MFG. 'MOLEHILL' MIXER, Welded Carbon Steel, 45"

LOT  
NO.

-----  
DESCRIPTION

Straight Wall Height x 30" Wide x 30" Deep, with 33" High Hopper Bottom, Front Ingredient Addition Opening, Mounted on 42" High x 2 1/2" x 2 1/2" Angle Iron Steel Legs.

- 9     SPROUT-WALDRON & CO. INC. PELLETT MILL, Model 501-D, s/n 966, powered by 75 hp Electric Motor with 10- V-Belt Drive Sheave, with  
SPROUT-WALDRON Model 501-D Mixer, Stainless Steel, s/n 63-79, 18 1/2" Diameter x 54" Long Mixing Barrel, with Stainless Steel Fluted Mixing Shaft having 18" Long Infeed Section, powered by 10 hp (est.) Electric Motor with V- Belt Drive.  
21" Diameter x 3 3/4" Wide x 1/4" Pellet Die  
Die Retaining Fixture  
2- Compression Rollers
- 10    SPROUT-WALDRON & CO. INC. PELLETT MILL, Model 501-D, s/n 682, powered by WESTINGHOUSE 75 hp, 1174 rpm, Electric Motor with 10- V- Belt Drive Sheave with:  
10" Diameter x 32" Long Stainless Steel Mixer with Stainless Steel Mixer Shaft, having 18" Long Feeder Unit, powered by Electric Motor having MASTER Speed-Ranger Variable Speed Control Center.  
21" Diameter x 3 3/4" Wide x 1/8" Pellet Die  
Die Retainer Fixture  
2- Compression Rollers
- 11    SPROUT-WALDRON & CO. INC. PELLETT MILL, Model 49, s/n 348, powered by 50 hp, 1170 rpm Electric Motor with 4- V-Belt to 4- Roller Chain Drive. with:  
10" Diameter x 30" Long Stainless Steel Mixer having 18" Long Top Feeder Unit. (NOTE: this Unit DOES NOT HAVE IT'S ELECTRIC MOTOR.)
- 12    LOT - RELATED PELLETT MILL PARTS
- 13    WINONA CORN HAMMER MILL, 10" Wide x 30" Diameter (Outside Dimensions of the Rotor Housing), powered by 2- 20 hp Electric Motors, with Top Mounted Dribble Fedded powered by Electric Motor. Unitized and Mounted on 1- Piece Steel Base, 85" Long x 30" Wide.
- 14    SPROUT-WALDRON VERTICAL PELLETT COOLER, Type 260, s/n 197, 79" High x 57" Wide x 33" Deep, with Aspiration

LOT  
NO.

-----  
DESCRIPTION

- Fan powered by Electric Motor.  
With:  
SPROUT-WALDRON CRUMBLER ROLLS, Type 6x60, s/n 592, powered by Electric Motor.
- SPROUT-WALDRON SINGLE DECK SCREEN, Type 60" x 72", s/n 1246, powered by Electric Motor.  
All Three Units are Unitized and Mounted in a 68" High x 102" Long x 68" Wide Steel Frame, Constructed of 3" Angle Iron.
- 15 SPROUT-WQALDRON VERTICAL PELLETT COOLER, Type 260, 79" High x 57" Wide x 33" Deep, with Aspiration Fan powered by Electric Motor.  
With:  
SPROUT-WALDRON CRUMBLER ROLLS, Type 6x60, powered by Electric Motor.  
H. C. DAVIS & SONS MFG SINGLE DECK SCREEN, 46" High x 78" Long x 62" Wide.  
All Three Units are Unitized and Mounted in a Angle Iron Steel Frame.
- 16 NET WEIGHT BAGGING MACHINE with Air Operated Foot Control.  
With:  
CHICAGO SPECIAL MACHINE CO. Type 80000-F Stitching Head, powered by Electric Motor, mounted on a Adjustable Height Column.  
FLAT, POWER BELT BAG CONVEYOR, 12" Wide x 82" Long powered by Electric Motor driving through Reduction Gearbox, Wood Frame, Portable.
- 17 NET WEIGHT BAGGING MACHINE, (Hard Pellet), 30 tons/hr., Air Operated.  
With:  
FLAT, POWER BELT CONVEYOR, 10" Wide x 7' Long, V- Metal Side Boards, powered by Electric Motor driving through Reduction Gearbox, Mounted on 4- Steel Pipe Legs.
- 18 HOWE-RICHARDSON NET WEIGHT BAGGING MACHINE, Model G 17, s/n 68614, 140 lbs. Capacity  
With:

LOT  
NO.

-----  
DESCRIPTION

SEWING HEAD powered by Electric Motor, mounted on a  
Adjustable Height Column. with Foot Operated Switch.

FLAT, POWERED BELT CONVEYOR, 10" Wide x 78" Long,  
powered by Electric Motor driving through Reduction  
Gearbox. In Steel Frame, On Caster Wheels.

- 19 BEMIS NET WEIGHT BAGGING MACHINE, ECONO-PAK, s/n  
861227568-A.
- 20 AMES IRON WORKS AMESTEAM BOILER, Cat. No. AA 465, s/n  
60824 (1963), Nat. Bd. No. 11664, 125 psi Max. W.P., 201 sq.  
ft. Heated Surface, 5/16" Shell, 3/8" Flat Heads, S.T. JOHNSTON  
Forced Air Burner, McDONNELL Model 150 Valve, Feed Water  
Pump.
- 21 MIRUS, INC. AIRGRA-METER VAL-PACK BAG FILLER, with 26"  
High x 15" x 19" Hopper, 3" Fill Auger powered by Electric  
Motor, on Single Pedestal Stand.
- 22 BOYCE PORTABLE, BATCH WEIGHING HOPPER, 28 1/2" High x  
30 1/2" x 47" Deep with FAIRBANKS-MORSE Model 41-3160  
Balance Beam Scales, s/n G594109, 1,000 lbs Capacity.
- 23 GRAIN BELT PORTABLE, BATCH WEIGHING HOPPER, Model  
S, 28 1/2" High x 30 1/2" x 48" Deep with FAIRBANKS-MORSE  
Model 41-3132 Balance Beam Scales, s/n G6761378, 1,000 lbs.  
Capacity.
- 24 ALLOY WELDING INC. PORTABLE FEED CART, Welded Carbon  
Steel, 26" High x 23" Wide x 59" Long, Mounted on 3- Wheels,  
1- which Casters.
- 25 BATCH WEIGHING GRAIN TRANSFER CARTS, Portable, with  
29 1/2" High x 30 1/2" Wide x 46" Long Hopper, FAIRBANKS-  
MORSE Code 12064 Balance Beam Scales, s/n G221645, 1,000  
lbs. Capacity, with 7" Diameter Tubular Bin-to-Batch Unit Auger  
powered by Electric Motor.
- 26 BATCH WEIGHING GRAIN TRANSFER CART, Portable with  
29 1/2" High x 30 1/2" Wide x 46" Long Hopper, FAIRBANKS-  
MORSE Code 12064 Balance Beam Scales, s/n G145416, 1,000  
lbs. Capacity, with 7" Diameter Tubular Bin-to-Batch Unit Auger

LOT  
NO.

-----  
DESCRIPTION

powered by Electric Motor.

- 27 UNDER-TRAILER UNLOADING AUGER, Portable, with 33" Wide x 50" Long Hopper having Single Screw Auger, Feeding into 6" Diameter x 7' Long, Tubular Discharge Auger with 30 degree Elevation Ell. Powered by DAYTON 2 hp, 1740 rpm Electric Motor, Mounted on Single Axle with Pnuematic Tires.
- 28 UNDER-TRAILER UNLOADING AUGER, Portable, with 23" Wide x 83" Long Hopper with Dual Screw Augers, Feeding into 6 ½ " Diameter x 55" Long Tubular Discharge Auger with 30 degree Elevation Ell. Powered by Electric Motor, Mounted on Single Axle with Pnuematic Tires.
- 29 AIR COMPRESSOR, Reciprocating, V- 4 Cylinder, powered by Electric Motor, Mounted on 120 gallon Horizontal Air Receiver Tank.
- 30 AIR COMPRESSOR, Reciprocating, V- 4 Cylinder, powered by Electric Motor, Mounted on 120 gallon Horizontal Air Receiver Tank.
- 31 POWER BELT CONVEYOR, FLAT, 18" Wide x 23" Long, 8" Deep Trussed Steel Framework, Headstock powered by Electric Motor driving through Reduction Gearbox.
- 32 VALLEY CRAFT HAND TRUCK, Model 4760, 1,000 lbs. Capacity.
- 33 VALLEY CRAFT HAND TRUCK, Model 4760, 1,000 lbs. Capacity.
- 34 VALLEY CRAFT HAND TRUCK, Model 4760, 1,000 lbs. Capacity.
- 35 VALLEY CRAFT HAND TRUCK, Model 4760, 1,000 lbs. Capacity.
- 36 VALLEY CRAFT HAND TRUCK, Model 4760, 1,000 lbs. Capacity.
- 37 HAND TRUCK, Wood Frame and Handles, Hard Rubber Tires.
- 38 HAND TRUCK, Wood Frame and Handles, Hard Rubber Tires.
- 39 HAND TRUCK, Wood Frame and Handkes, Hard Rubber Tires.
- 40 HAND TRUCK, Wood Frame and Hankles, Hard Rubber Tires.
- 41 BARREL DOLLY
- 42 PLATFORM SCALES, Balance Beam, Portable with 18" x 27 ½" Weighing Platform.

LOT  
NO.

-----  
DESCRIPTION

- 43 PLATFORM SCALES, Balance Beam, Portable with 18" x 27 ½"  
Weighing Platform.
- 44 PLATFORM SCALES, Balance Beam, Portable with 18" x 27 ½"  
Weighing Platform.
- 44A PLATFORM SCALES, Balance Beam, Portable with 18" x 27 ½"  
Weighing Platform.
- 44B PLATFORM SCALES, Balance Beam, Portable with 18" x 27 ½"  
Weighing Platform.
- 45 SCREW AUGER CONVEYOR, U- Type, 10" Diameter x 6'6" Long  
Full Top Cover, powered by Electric Motor driving through  
Reduction Gearbox by Roller Chain.
- 46 SCREW AUGER CONVEYOR, U- Type, 10" Diameter x 6'6" Long  
Full Top Cover, powered by Electric Motor driving through  
Reduction Gearbox by Roller Chain.
- 47 SCREW AUGER CONVEYOR, U- Type, 10" Diameter x 6'6" Long  
Full Top Cover, powered by Electric Motor driving through  
Reduction Gearbox by Roller Chain.
- 48 SCREW AUGER CONVEYOR, U- Type, 10" Diameter x 6'6" Long  
Full Top Cover, powered by Electric Motor driving through  
Reduction Gearbox by Roller Chain.
- 49 SCREW AUGER CONVEYOR, U- Type, 10" Diameter x 8'6" Long  
Full Top Cover, powered by Electric Motor driving through  
Reduction Gearbox by Roller Chain.
- 50 SCREW AUGER CONVEYOR, U- Type, 10" Diameter x 8'6" Long  
Full Top Cover, powered by Electric Motor driving through  
Reduction Gearbox by Roller Chain.
- 51 SCREW AUGER CONVEYOR, U- Type, 10" Diameter x 7'6" Long  
Full Top Cover, powered by Electric Motor driving through  
Reduction Gearbox by Roller Chain.
- 52 SCREW AUGER CONVEYOR, U- Type, 10" Diameter x 7' 6" Long  
Full Top Cover, powered by Electric Motor driving through  
Reduction Gearbox by Roller Chain.
- 53 SCREW AUGER CONVEYOR, TUBULAR Type, 10" Diameter x 29"  
Long, powered by Electric Motor driving through Reduction

LOT  
NO.

-----  
DESCRIPTION

Gearbox by Roller Chain.

- 54 SCREW AUGER CONVEYOR, TUBULAR Type, 10" Diameter x 29"  
Long, powered by Electric Motor driving through Reduction  
Gearbox by Roller Chain.
- 55 SCREW AUGER CONVEYOR, TUBULAR Type, 10" Diameter x 29"  
Long, powered by Electric Motor driving through Reduction  
Gearbox by Roller Chain.
- 56 SCREW AUGER CONVEYOR, TUBULAR Type, 10" Diameter x 29"  
Long, powered by Electric Motor driving through Reduction  
Gearbox by Roller Chain.
- 57 SCREW AUGER CONVEYOR, U- Type, 10" Diameter x 145' Long,  
Full Top Cover, with Multiple Top In-Feed Grates, powered  
by Electric Motor driving through Reduction Gearbox.
- 58 MOLASSES PUMP, 1" Gear Type, powered by DAYTON 3/4 hp Electric  
Motor, Mounted on Wood Base.
- 59 ACE INDUSTRIAL PRODUCTS FORCED AIR HEATER, Portable,  
Kerosene Fired.
- 60 ACCU WEIGH SCALES, 60 lbs. Capacity, 4 oz. Graduations, 12" x 12"  
Top Weighing Platform.
- 61 ACCU WEIGH SCALES, 60 lbs. Capacity, 4 oz. Graduations, 12" x 12"  
Top Weighing Platform.
- 62 WEIGHING SCALES, 20 lbs. Capacity, 1 oz Graduations, 8" x 8" Top  
Weighing Platform.
- 62A QUAL FAT FAT TANK, Vertical, Electric Heated, Insulated with  
Metal Jacket, 500 gallon Capacity, 5' Diameter x 6' High
- 62B VERTICAL MIXER / EGG BREAKER, with 9" Diameter x 7' High  
Single Tubular Auger powered by Electric Motor, with 8"x 8"x  
5' Long Discharge Spout powered by Electric Motor, 12" Deep  
x 34" Wide x 20' Long In-Feed Hopper.

ROLLING STOCK

LOT  
NO.

-----  
DESCRIPTION

- 63 19- FORD F 800 SINGLE AXLE GRAIN TRUCK, Model F 826, vin 1FDPF82HDEVA15957, powered by FORD 370-V4 V- 8 Gasoline Engine, 5- Speed Manual Transmission with 2- Speed Rear Axle, 189" Wheelbase, with SIMONSEN 55" High x 14' Long Steel Grain Body having Model CAR 14-8 Tube Product Delivery Auger, s/n 1283646, 7" Diameter x 18' Long, Hydraulic Powered. PTO, Hydraulic Wet Kit, 50 gallon, Step, Saddle Steel Fuel Tank, West Coast Mirrors, 5 - Spoke Wheels, 10.00 - 20 Tires, 148,192 indicated miles.
- 64 19- CHEVROLET C 60 SINGLE AXLE BULK FEED DELIVERY TRUCK, vin 1GBG6D187FV211365, powered by GENERAL MOTORS 7.0 L V- 8 Diesel Engine, 5- Speed Manual Transmission with 2- Speed Rear Axle, with SIMONSEN Bulk Feed Body, 12' Long, with 7" Diameter x 20' Long Tubular Delivery Auger powered by Hydraulic Motor, PTO, 50 gallon Step, Saddle, Steel Fuel Tank, West Coast Mirrors, 5- Spoke Wheels, 9.00 - 20 Tires.
- 65 1983 CHEVROLET C 20 Scottsdale PICKUP, 3/4 Tons, 4- Wheel Drive, vin 1GCEK24C5DJ115967, GENERAL MOTORS 6.2 L V- 8 Diesel Engine, 3- Speed Automatic Transmission, FIBER-STRONG TEL-TOP Fiberglass Bed Cover, s/n 388, 20" High, LT 235/85 R 16 Tires.