

LENDER OWNED SEALED BID AUCTION

www.maascompanies.com

THURSDAY, JULY 22 • SEALED BID DEADLINE 4:00 PM CT

**50 MILLION GALLON PER YEAR PARTIALLY COMPLETED
BIODIESEL PLANT ON 13.52± ACRES,
Real Estate and Equipment Selling
in Tracts or as Entirety**

EQUIPMENT CATALOG


A&E STEEL PROCESS BUILDING: 68' X 292' (45' EAVE) INSTALLED & 68' X 77' (74' EAVE) UNINSTALLED,
25,092' SQ. FT. TOTAL, 8" FLOOR WITH INDIVIDUAL CONCRETE PADS FOR SKIDS AND COLUMNS



VIEW OF THE FUTURE TANK FARM LOCATION



THE MAJORITY OF ALL PROCESS EQUIPMENT IS INSTALLED



NEWTON, ILLINOIS 62448 USA

IUKA STATE BANK - SELLER

MAAS

companies inc

www.maascompanies.com

BIODIESEL AUCTION

**BN BIODIESEL
NEWTON, ILLINOIS USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
-------	----------	--------------	-------	---------------	-------------

Tract 1 Includes the Following Lots:

10, 12, 13, 14, 15, 16, 18, 19, 20, 21, 22, 35, 46, 51, 55, 62, 63, 65, 69, 70, 71, 72, 74, 80, 81, 82, 83, 85, 86, 87, 88, 89, 90, 91, 96, 97, 98, 100, 101, 116, 118, 119, 121, 122, 127.

Tract 2 Includes the Following Lots:

11, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 47, 48, 49, 50, 52, 53, 54, 56, 57, 58, 59, 60, 61, 64, 73, 84, 92, 93, 94, 95, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 117, 120, 123, 124, 125, 126.

INNOVATION CENTER / OFFICE BUILDING / WAREHOUSE BUILDING

10 – LOT RECEPTION OFFICE

Consisting of but not necessarily limited to: Reception Desk, 21" x 62", Laminate Work Surface, 48"H Wooden Sides, Drawer Pedestal; Laminate Top 1/2 Round Table, 24"Radius x 48"; 3-Cloth Divider Panels, 54"H; Coffee Table, Cherry Veneer, 20" x 42"; 2-Occasional Table, Cherry Veneer, 24" x 24"; 5-Plastic Molded Chairs, Wire Frames, Sled Base; Desk Chair, Arm Rests, 5-Roller Base; MR. COFFEE Coffee Maker; Toaster; FRIGIDAIRE Mini Refrigerator; HAMILTON BEACH 900-Watt Microwave; CANON MX882 Inkjet Printer; SHARP MX-2300N Copy Machine, Collator, Auto Feed; ADP Timeclock with Fingerprint Scan; CANON LPF765 Image PROGRAF Wide Format Color Printer, 36"W.

11 – 1- FIXTURLASER ALIGNMENT LASER

1-0807 34119 Hand Held Shaft Alignment Laser in Case.

12 – LOT FIRST OFFICE

Consisting of but not necessarily limited to: STEELCASE U-Shaped Work Station, Laminate Top, 3-Drawer Pedestals; Desk Chair, Arm Rests, 5-Roller Base; Side Chair, Padded, 4-Leg Style; STEELCASE 3-Drawer Lateral File; SENTRY SAFE 2-Drawer Locking Fire Resistant File Cabinet; Cherry Veneer Bookcase, 30"W x 6' Tall; Wall Mounted 24-Slot Mail Bin; White Board, Wall Mounted, 36" x 48"; HOWARD MILLER 15" Dia. Wall Clock.

13 – LOT SECOND OFFICE

Consisting of but not necessarily limited to: STEELCASE U-Shaped Work Station, Laminate Top, Drawer Pedestals; Table, 36" Dia., Wood Grain Laminate Top; Folding Chair, Padded; 2 Desk Chairs, Arm Rests, 5-Roller Base; White Board, 36" x 48", Wall Mounted; HOWARD MILLER 15" Dia. Wall Clock; HP OfficeJet 7500A Wide Format Printer.

**BN BIODIESEL
NEWTON, ILLINOIS USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
-------	----------	--------------	-------	---------------	-------------

14 – LOT CONFERENCE ROOM

Consisting of but not necessarily limited to: Conference Table, Cherry, 5'W x 10'L, 2-Round Pedestals; 11-Padded Desk Chairs, Arm Rests, 5-Roller Bases; Table, Laminate Top, 24" x 60"; Occasional Table, 24" x 24"; Side Chair, Padded, 4-Leg Type; 2-Bookcases, Cherry Veneer, 30"W x 6'T; HOWARD MILLER 15" Dia. Wall Clock; 4-White Boards, Wall Mounted, 36" x 48"; Blueprint/Plan Rack, Portable, 12-Plan Holders; White Board, Wall Mounted, 48" x 72".

15 – LOT MAINTENANCE GARAGE

Consisting of but not necessarily limited to: HOOVER Wind Tunnel Series Paws Upright Vacuum; HOOVER Mach Cyclone Upright Vacuum; SHOP-VAC Pro 10-Gallon Shop Vac; Various Mops and Brooms; Garden Hose.

16 – LOT MAINTENANCE GARAGE

Consisting of but not necessarily limited to: Coca-Cola Vending Machine, (9) Place Bottle Dispenser; Dollar Bill Acceptor; KENMORE Refrigerator, 2-Door; Cigarette Stand; Shelf Unit; Table, Metal Outdoor Type, 39" x 39"; Office Chair.

17 – UNASSIGNED

18 – LOT SPANCO BRIDGE CRANE

S/N: EC3G3916XA 4000# Capacity, Single Girder, 18' Span; COFFING 2-Ton Electric Chain Hoist, 2-Way Control Pendant; 20' L Standalone Craneway.

19 – LOT MAINTENANCE GARAGE

Consisting of but not necessarily limited to: HU LIFT Manual Pallet Jack; Garden Hose Reel, Portable; UNIFLAME Gas Cooking Grill; Pipe Support Stand.

20 – 1- CAMPBELL HAUSFELD AIR COMPRESSOR

C1071080VMSA 012297L 756715 Vertical Tank Mounted, U.S. Electric 7.5-HP Motor, Piston Type, Estimated 80-Gallon Tank.

21 – LOT MAINTENANCE GARAGE

Consisting of but not necessarily limited to: 5-Rakes, 2-Shovels, Broom, 3-Squeegees, Step Stool.

22 – LOT ON OFFICE MEZZANINE

Consisting of but not necessarily limited to: 3-Desks; Drawer Pedestals; Lateral File Cabinets; Flipper Door Storage Bins; Receptionists Desk; etc.; HP Tower Computer, Windows 7, Mouse, WD MyBook Essential Storage Drive; Tower Computer, Intel Quad Core Processor, APC Back-Ups 6600 Battery Back Up; HUBBELL Category 5 Patch Panel; D-LINK DGS-1024D Gigabit Switch; SPECO TECHNOLOGIES Security Controller; HYUNDAI Wide Screen Monitor; ZYXEL Wireless Router; Hardware Rack, 20"W x 6'H; COMDIAL Telephone System with Handsets.

**BN BIODIESEL
NEWTON, ILLINOIS USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
23 – 2-		VIKING PUMP PUMP			GG4195 12729052, 12729051 Floor Type Pump with Tapped Ports, 1" Port, 10-GPM, Relief Valve, Unused in Box.
24 – 3-		HOG BRAND SHIMS			3-Boxes of Metal Shims.
25 – 4-		CASTERS			Rubber Casters.
26 – 1-		BETTIS ACTUATOR			DSO200.B2A04K-22KO 148871049 Pneumatic Valve Actuator, 120-PSIG.
27 – 1-		FINISH THOMPSON PUMP			DB22V-E-FF-3A-NS 18901113 Sealless Centrifugal Pump, 2" x 2", Magnetic Drive, 90-PSI Max Pressure.
28 – 1-		RELIANCE ELECTRIC MOTOR			P21G4856A 3-HP Electric Motor.
29 – 1-		EMERSON ELECTRIC MOTOR			YC1E3B 1-HP Electric Motor.
30 – 1-		VALVE			Plastic Valve, 2", Gator Lock Cam Lock.
31 – 1-		HILTI GREASE GUN			HDE 500-A18 Rechargeable, 18-Volt, 2-Batteries, HILTI 4/36 Charger, Carrying Case.
32 – 1-		MR. HEATER HEATER			CONTRACTOR QBT SERIES Propane Heater, 50000 - 85000 BTUs/Hour.
33 – LOT		SHARPE GATE VALVES			150 Consisting of but not necessarily limited to 29 Gate Valves; 5-WCB 8, 8"; 13-WCB 6, 6"; 6-WCB 4, 4"; 5-WCB 3, 3".
34 – LOT		WELDBEND PIPE FITTINGS			Consisting of but not necessarily limited to 7-Skids and Boxes: 90°LR 6" Elbows; 90° 8" Elbows; 8" to 3" Tees; 8" to 6" Tees; 3" to 1-1/2" Tees; 90° 4" Elbows; 6" to 3" Tees; 6" x 6" Tees; Flanges, Plates, etc.
35 – LOT		NEENAH FOUNDRY TRENCH PAN			Cast Iron Drain Pan, 1-Run of 30'.
36 – LOT		ACTUATORS AND FREQUENCY INVERTERS			(3) FISHER Actuators; 1-Type 337, Size 34, 3/4" Travel, 6-30 Operating Range, SN 18289817; 2-Type 1052, Size 40, 0-40 Operating Range, SNs 1865793 and 18657972: 2-WEG CFW-11 Variable Speed Drives, Unused in Crates.
37 – LOT		PALLETS AND BOXES OF MISCELLANEOUS PARTS			Consisting of but not necessarily limited to: 2-Skids of Centrifuge Parts; 2-Boxes of PALL 12+2 Tube Filters, Model LCS4FPS100966; 2-5 Gallon Buckets of MOBIL DTE Oil BB Bearing and Circulating Oil.

**BN BIODIESEL
NEWTON, ILLINOIS USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
-------	----------	--------------	-------	---------------	-------------

38 – LOT STEEL CABINETS and CONTENTS

Consisting of but not necessarily limited to: 2-Steel Cabinets, 2-doors and 3 Pull Out Drawers; Miscellaneous Chemicals including WD40, Acetone, Cleaners, PVC Pipe Cement, Paints, etc.

39 – LOT WOODEN SHELF UNIT

Consisting of but not necessarily limited to: Building Screws, Electrical Parts, Wire, Black Pipe Fittings.

40 – LOT METAL SHELF UNIT

Consisting of but not necessarily limited to: Cast Valves, Butterfly Valves, Black Pipe Fittings, 4" Aluminum Spool Adaptors.

41 – LOT WOODEN SHELF UNIT

Consisting of but not necessarily limited to: 2-Shelf Units: Hardware, Nuts, Bolts, Screws, Stud and Nut Sets, Sending Units, 2-Buckets of Miscellaneous Used Nuts and Bolts.

42 – LOT METAL SHELF UNIT

Consisting of but not necessarily limited to: VICTOR compressed gas regulator sets, Black Pipe Fittings, Actuators, Valves.

43 – LOT METAL SHELF UNIT

Consisting of but not necessarily limited to: Centrifuge Vibratory Monitors, Transmitter Indicator Parts, 5" ASHCROFT Bi-Metal Thermometers, Valves, Transducers, ROSEMOUNT Transmitters, BENTLY NEVADA 1900/27 Vibration Monitors, Magnetrol R95-510A 110/PM-AA30-200 Sending Units.

44 – 1- HACH WATER TESTER

HQ40D HACH HQ40D Multi-Meter Field Water Tester for Salinity, pH, TDS, Dissolved Oxygen, QRP and ISE, HACH HQd Probe Series Field Kit.

45 – 1- ARMSTRONG TORQUE WRENCH

64-505A Large Dial Indicating Torque Wrench, Unused.

46 – LOT MISCELLANEOUS OFFICE FURNITURE

Consisting of but not necessarily limited to: Office Desks, 4-Desk Chairs, 2-Drawer Pedestals, 5 2-Drawer Lateral File Cabinets, 8 Plastic Document Storage Boxes.

47 – LOT SKID OF MISCELLANEOUS

Consisting of but not necessarily limited to: Pipe Fittings and Assemblies, 1-1/2" Insulated with Valves, Elbows with Flanges, 2-Pump Shrouds.

48 – 1- CENTURY ELECTRIC MOTOR

Part No. 6-321185-01 100-HP, 1770 RPMs, 230/460 Volts.

4 of 15

-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"

**BN BIODIESEL
NEWTON, ILLINOIS USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
49 – 2-		MARATHON ELECTRIC MOTOR			326TTGP4026CD 1102507604, 1102507603 BLUE CHIP EM Motor, 50-HP, 1765 RPMs, 230/460 Volts; Miscellaneous Wire.
50 – 2-		FISHER ACTUATORS			TYPE ES 18958761, 18958760 Size 3 Actuators in Wooden Crate.
51 – LOT		WOODEN CRATE OF MISCELLANEOUS			Consisting of but not necessarily limited to: 2-Exit Signs; 7-Cans of MASTERFLOW 648CP Plus Grout, 9.2-Kg per Can.
52 – LOT		SKID OF MISCELLANEOUS			Consisting of but not necessarily limited to: 4-KOFLO 2-80S-2-6-900INJ In-Line Static Mixers with Injection Ports, Stainless Steel; (2) HALDEX G4212B3A105N00 Gear Pumps, ABB Motors.
53 – 1-		GUSHER PUMPS INDUSTRIAL PUMP			PCL3X4-8BSEHCBM-A 1430-395 CLCC Series Industrial Pump, 3" x 4", Unused: BALDOR CC-362016 Electric Motor, SN C1308050337, 30_HP, 230/460 Volt.
54 – LOT		SKID AND BOX OF MISCELLANEOUS			Consisting of but not necessarily limited to: Used Pipe Fittings and Valves; PVC Pipe; 55 Gallon Drum of ROYAL PURPLE Synthetic Oil, Barrier Fluid FDA34 with Hand Pump; 7-Boxes of ACRYL-R SM5430 Sealant, 290ml Tubes; 3-Used Electric Motors; Wall Vent Louvers.
55 – 1-		NORTHERN SAFETY CABINET			BJ24 Flammable Materials Cabinet, 24"W, 24 Gallon Capacity, Single Door.
56 – LOT		VARIOUS MOTOR DRIVES			UNUSED: 4-BALDOR VS1SP42-4B Inverter Drives, SNs H0709190009, H0709190010, H0709190006, H0709190008; 8-RELIANCE ELECTRIC SP600 A-C Drives; 13- TB WOOD'S E-TRACX4 AC Drives; 2-RELIANCE ELECTRIC MD60 AC Drives.
57 – LOT		PUMP AND FILTER			Consisting of but not necessarily limited to: FINISH THOMPSON DB22P-FF-3C-21-NS Centrifugal Pumphead, SN 118903113, Polypropylene Construction, 2" x 2", 90 PSI Max Pressure; KRYSTAL KLEAR Tube Filter, 36"H, 150 PSIG @ 300°F MAWP; JOHN C. ERNST 202 Sight Flow Indicator, Tag No. 11-FG-148B; Miscellaneous Valves and Fittings.
58 – LOT		CLEAN UP SAFETY EQUIPMENT			Consisting of but not necessarily limited to: EAGLE Model 1613 Drum Bogie; SMS Dimpled Pads, 2-Bales at 100 per Bale; 3-Prosorbents B510 Sock Net Boom, 5" Dia. x 10'L; 2-Rolls Med Unv Rolls, 36" x 144'; 2-V-55 Blue Oil Drums with Sealable Lids; Nitrile Gloves; Yellow Hazmat Disposable Bags, etc.

5 of 15

-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"

**BN BIODIESEL
NEWTON, ILLINOIS USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
-------	----------	--------------	-------	---------------	-------------

59 – LOT WALL PANEL of VALVE SEALS

Consisting of but not necessarily limited to: Multiples of Various Sizes - 1/2-150, 1-150, 1-600, 1-900, 1-1/4-1500, 1-1/2-150, 2-1500, 2-150, 2-600, 2-1500, 2-1/2-150, 2-1/2-600, 3-150, 3-600, 3-900, 3-1500, 4-150, 4-300, 4-1500, 6-150, 6-900, 8-150, 8-300, 10-150, Miscellaneous.

60 – LOT MISCELLANEOUS OPTICAL PARTS

Consisting of but not necessarily limited to: 2-Spools of Optical Cable, Part No. DX006DAL S90RS2, 1096' per Spool; Box of T1C3 Fiber Breakout Kits; Box of 10/100BASE-FX Fast Ethernet Connections.

61 – 1- JUPITER SENDING UNIT

241-3F00-100-1E-050 19488-04-001 Magnetostrictive transmitter, 2007 Date of Manufacture.

62 – LOT BUILDING COMPONENTS

Consisting of but not necessarily limited to: Materials to Complete Process Building; 2-Sets of Double Doors; 4-Steel Personnel Doors; Approx. 80 Rolls of Insulation, 24" Dia. x 80"L; 2 JENN-AIR Model 141CWJ Exhaust Fans, Approx. 24" Dia.; 2-Exhaust Louvers, Thru Wall Mount, 60" x 60".

63 – LOT JOHNS MANVILLE INSULATED FITTINGS COVER

2000 PVC Insulated Fitting Covers PVC Fittings, Made of PVC, Abrasive Resistant.

64 – LOT GOODYEAR STEAM HOSE

GRAINGER PART NO. 14KT62 7-Boxes, 3/4" x 50' per Box.

65 – LOT ELECTRICAL WIRE 2-Partial Spools of 1" and 3/4" Wire.

66 – UNASSIGNED

67 – UNASSIGNED

68 – UNASSIGNED

LAYDOWN YARD BEHIND INNOVATION CENTER BUILDING

69 – ASSORTED RAILROAD TIES AND RAIL SECTIONS

70 – LOT STORM DRAIN

12-Section of Concrete Storm Drain, 24" Dia. x 8'L.

71 – 1- PRIME MOVER PALLET JACK

Electric, Walk Behind, No Battery; MARCHE Charger (SCRAP).

72 – LOT MATERIALS FOR PROCESS BUILDING

Consisting of but not necessarily limited to: Metal Siding Panels, 36"W x 30'L; Various Screws; Sealed Weatherstripping (Not Usable); Metal Frame Cross Members; Personnel Door; Downspouts and Gutter; I-Beams for Building Frame; Grating.

6 of 15

-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"

**BN BIODIESEL
NEWTON, ILLINOIS USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
-------	----------	--------------	-------	---------------	-------------

73 – 2- METAL WORK FRAMES

Custom Built Frames for USE WHEN WORKING on PROCESS REACTORS.

74 – LOT PROCESS BUILDING MATERIALS STORED OUTSIDE

Consisting of but not necessarily limited to: Wall Panels, Insulated Ceiling Panels, Steel Fabricated Building Components.

LOTS 75-79 UNASSIGNED

SOUTH UTILITY BUILDING

80 – LOT MISCELLANEOUS FIRE SUPPRESSION EQUIPMENT IN UTILITY BUILDING - UNINSTALLED

Consisting of but not necessarily limited to: MASTER MCR-75-46-H Fire Pump Control Panel, SN 55285, 460 Volt, 75-HP Motor Controller; Electrical Box, Master Motor Controller, Model PMC-2-3-46, SN 55267, 460 Volt; 1-Box of Black Pipe Fittings, Weldon PVC Cement, Spray Paint Can, 1-Box with 4 One Gallon Jugs of GROEN Delimer Descaler; Yellow Extension Cord; Fire Suppression Main Trunk Line with 8" Inlet, Gate Valve, 3-8" Outlets, Electrical Panel, GRUNDFOS Pump with BALDOR electric motor; Various Pipe Fittings, Pipes, Collars, Flanges; LINCOLN 75-HP Electric Motor, SN 3619942, 365T Frame, 230/460 Volt, Main Line Junction with Valve, 8" to 6" Reducers; 2-CENTURY 60-HP Electric Motor, Part No. 9-321176-06, SN 6K, 364T Frame, 240/480 Volt; 2-MANUFACTURER UNKNOWN Pumps, 8" Inlet, 22" Dia. Housing; MANUFACTURER UNKNOWN Pump, 8" x 8", U.S. ELECTRIC Model H644 Electric Motor, 100-HP, 230/460 Volt; Spool of 1" Rubber Hose with 1/2" Fittings; Various Length Sections of Black Iron Pipe: 6-22' Long lengths of 4" Pipe; 1-11' Long Length of 4" Pipe with 4 1" Outlets; 1- #250 6" Gate Valve; Miscellaneous Lengths of Pipe.

81 – LOT PROCESS BUILDING MATERIALS STORED IN UTILITY BUILDING

Consisting of but not necessarily limited to: 36-Rolls of Building Insulation; 1-Skid of 20-Boxes (Some Partially Full) of ITW 1X3/32X34 Rolls of Sealant from 2016.

82 – LOT MISCELLANEOUS HOSE IN UTILITY BUILDING

9-Sections of Pump Intake Hose of Various Sizes for Trash Pumps.

83 – LOT MISCELLANEOUS FIRE SUPPRESSION EQUIPMENT IN UTILITY BUILDING - INSTALLED

Consisting of but not necessarily limited to: MANUFACTURER UNKNOWN Pump, 6" x 6", MARATHON Model 5J 404TSTDS4026BTW, 100-HP Electric Motor, 404TS Frame, 230/460 Volt; 2-Gate Valves, 6"; Various Lengths of 6" and 4" Pipe with Elbows, Valves, and Fittings; All Mounted on L-Shaped Fabricated Steel Frame, 12' Wide x Approx. 110' Long x Approx. 40' L Section x Approx. 16' High, I-Beam Uprights and Cross Beams.

**BN BIODIESEL
NEWTON, ILLINOIS USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
84	1-	McQUAY	CHILLER		WSC087MB STNU001100041 Centrifugal Chiller, Manufactured in 2000, Water Cooled; Model E3012BE2LA Evaporator, SN 50K009000, Style 071268501E; Model C02612CNY2LY Condenser, SN 50K000950, Style 071268501C; MicroTech Digital Controls; McQUAY CE087MBD40SBU Centrifugal Compressor, SN 50K00794-00, Style 071268501F; Electrical Panel, Wall Mounted, 32"W x 84"H, CUTLER-HAMER IQ-DATA Read Out, SQUARE D Safety Switch.
85	LOT	MISCELLANEOUS	ON WOODEN TABLE	IN UTILITY BUILDING	Consisting of but not necessarily limited to: Includes Table, Miscellaneous Hardware, Elbows, Flanges, U-Hangers, Tees.
86	1-	SUPERIOR	FIRETUBE BOILER		AZTEC 5-5-2007 10046 Manufactured in 1987, 2007 Square Feet of Heating Surface, 150 PSI Max Steam Pressure, 13800 lbs/hr of Steam, Natural Gas Fired; GORDON PLATT Burner; 3-HP Compressor; Skid Mounted; Not Completely Installed.
87	1-	ZER-O-PAC	DEAERATOR		22MS-110-VESSEL ASSEMBLY 22000 lbs/hr Capacity, Approx. 10'L Pressure Tank Mounted on 44" x 80" x 86"H Steel Frame; 2-Vertical Pumps, 15-HP; 4" Piping, Various Valves, FISHER Actuator.
88	LOT	MISCELLANEOUS	IN UTILTIY BUILDING		Consisting of but not necessarily limited to: Miscellaneous Piping; FISHER Type 667 Actuator, Size 46, SN 18672503, 6-30 Operating Range.
89	1-	SQUARE D	DRIVE CONTROLLER		E-FLEX Adjustable Speed Drive Controller, Wall Mounted.
90	1-	TRANE	VARIABLE FREQUENCY DRIVE		TRI SERIES VFD Wall Mounted with Electrical Panel.
91	LOT	KINETICO	WATER SOFTENER SYSTEM		Salt Tank, (2) FILTER TANKS, Controller, Pallet of Salt Pellets.
92	2-	EVAPCO	COOLING TOWERS		AT 220-718 7-309760 and N/A 1000-Ton Cooling Tower, 220-Cells (One is Not in Service).
93	1-	RENTZEL	PUMP WATER PUMP		12BCH 13R8268 12" Water Pump; GE 5KL326DTT60138 Electric Motor, SN 33041727, 50-HP, 230/460 Volt.
94	LOT	ALLEN-BRADLEY	MOTOR CONTROL CENTER	IN UTILITY BUILDING	ARC-SHIELD CENTERLINE 2100 Catalog# LSV80/1; 8-Panels; 1200A Horizontal Power; 300A Vertical Power.

**BN BIODIESEL
NEWTON, ILLINOIS USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
-------	----------	--------------	-------	---------------	-------------

- 95 – LOT ALLEN-BRADLEY MOTOR CONTROL CENTER IN UTILITY BUILDING
ARC-SHIELD CENTERLINE 2100 Catalog# LSV80/1; 8-Panels; 1200A Horizontal Power; 300A Vertical Power; SIEMENS 30-KVA Transformer, Catalog# 3F3Y030TP1DS.
- 96 – LOT SIEMENS CONTROL CABINET IN UTILITY BUILDING
UTILITY SUB A/R PANEL 3200A, 3-Phase, 480y/277V AC, 200kA; 4-Panels, 10-Model WLF2A316 Integrated Cubicle Bus.
- 97 – LOT TRANSFORMER AND SWITCHGEAR ADJACENT TO UTILITY BUILDING
1-SOLOMON CORP 1500 Transformer, #TJ1117; 1-SOLOMON CORP 2500 Transformer, #TJ1116; S&C ELECTRIC COMPANY Metal Enclosed Switchgear Cabinet, 5-Bays, Enclosure Category B, 600A Main Bus, Catalog# CDA-829940, Manufactured in 2011, Voltage Ratings: KV Nominal 4.16, KV Max 4.8, KV Bil 60; SIEMENS Cabinet. NOTE: Transformers & S&C Switchgear Cabinet are Owned by the City of Newton. The SIEMENS Cabinet is Owned by Iuka Bank.
- 98 – 1- L.B. WHITE HEATER Natural Gas Fired, Ceiling Type.
- 99 – UNASSIGNED

MAIN UNFINISHED PROCESS BUILDING

- 100 – LOT PIPE RACK FOR PROCESS PIPING
Steel Fabricated Process Piping Rack; 4-Levels, I-Beam Supports, 9'-2" Column to Column Centers Wide; Approx. 440' Long from Utility Building Through Process Building; L-Shape from Process Building to Tank Farm, 3-Levels, Approx. 160' Long x 70' Long.
- 101 – LOT FIRE SUPPRESSION EQUIPMENT IN PROCESS BUILDING
2-AMEREX 495 Fire Extinguishers, 50 LC Wheeled Fire Extinguisher; 2-Wheel Barrel Dolly.
- 102 – LOT KREIDO SKID 112, JB-112 SLOPS SEPARATION PROCESS SKID
Consisting of but not necessarily limited to: 10' Wide x 40' Long Skid, Serrated Rod and Bar Grating Floor; Feed Stock Tank, Number 11-V-116, SN 163, 12612 Gallon Nominal Capacity, Horizontal, Insulated, 3- 24" Side Manway Portals, 2-MAGNETROL Orion 1AB-1FJ3-1AO/084 Magnetic Level Indicators (Tank Repaired 11-29-11, Project Number 1112128); VIKING GG4193 Pump, SN 11608863, Foot Mounted with Flanged Portals, 1-hp Motor.

**BN BIODIESEL
NEWTON, ILLINOIS USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
-------	----------	--------------	-------	---------------	-------------

103 – LOT KREIDO SKID 102, CP-102 MEOH/NAOH MIXING PROCESS SKID

Consisting of but not necessarily limited to: Manufactured in 2007, 10' Wide x 37' Long Skid, Serrated Rod and Bar Grating Floor; WEIR ROTO-JET Crude Injection Pump, Model ROHAIII, Size S266, 3x2, SN 07DR75459-01, 2007; WEIR 0657607 Gear Drive, SN 07M1523, 1.5333 Gear Ratio; RELIANCE 75-HP Electric Motor; WEIR ROTO-JET Crude Injection Pump, Model ROHAIII, Size S266, 3x2, SN 07DR75459-02, 2007; WEIR 0657607 Gear Drive, SN 07M1524, 1.5333 Gear Ratio; RELIANCE 75-HP Electric Motor; Vertical Tank, Number 11-V-102B, 5760 Gallon Nominal Capacity, SN 150, 27 PSI @ 250°F, Lined, Top Mounted Lightnin Agitator, 4-Load Cells Under Legs; Vertical Tank, Number 11-V-102A, 5760 Gallon Nominal Capacity, SN 149, 27 PSI @ 250°F, Lined, Top Mounted Lightnin Agitator, 4-Load Cells Under Legs; FISHER Type 657 Actuator, Size 40, SN 0018368343; 2-BETTIS DSO200.B2A03K.22KD Sending Units; BETTIS Model Unknown Sending Unit.

104 – LOT KREIDO SKID 101, CP-101 OIL FEED SKID

Consisting of but not necessarily limited to: Manufactured in 2007, 10' Wide x 27' Long; Vertical Oil Tank, Tank 11-V-101, Insulated, 4109-Gallon Capacity, SN 148, Bottom Outlet, On Legs, Man Entry Port, FISHER Actuator, Top Mounted Pump; 4-IMO Screw Pumps, Part No. 3203/529-2, Type B12DBS-137, RELIANCE 30-HP Motors; ROSEMOUNT 644 Temperature Assembly; 2 Tube and Shell Heat Exchangers, SNs 291 and 292; 3 FISHER Type ES Actuators, Size 1; 2 FERRIS ENG 27DA23-M20 Pressure Relief Valves; FISHER Type ED Actuator; FISHER Type 595C W/SPR Actuator.

105 – LOT KREIDO SKID 104A, CP-104A REACTION SKID

Consisting of but not necessarily limited to: Manufactured in 2007, 10' Long x 32' Long, Rated at 12.5 Million Gallons per Year; HUTCHISON SEPARATORS HH360 Centrifuge, SN 4155506, BALDOR 7.5-HP Electric Motor; KREIDO HTC0074 Reactor, SN 000101, 2007; Centrifuge Surge Drum, No. 11-V-104A, SN 151, 812 Gallon Capacity, 24" Dia. Side Manway, LIGHTNIN Top Mounted Agitator, BALDOR 5-HP Electric Motor, WILLIAMS 15F2 Valve; Centrifuge Heavy Phase Drum, No. 11-V-114A, SN 159, 162 Gallon Capacity; PUMP PAC Hydraulic Power Pack, Stainless Steel, 22" x 12" x 12" Reservoir Tank, 2" Outlet, ENARDO Bi-Directional Model 301/D-IL-440; SKF Hydraulic Power Pack, Part No. ZR190X2-BW200-V2, SN 0001, 23" x 35" x 19" Stainless Reservoir, 2 BALDOR 1.5-HP Motors, Model 131002980 Heat Exchanger; 2 VIKING GG4193 Pumps, Foot Mounted with Flanged Portals, 1-HP Motor; VIKING AK4193 Pump, SN 11993172, RELIANCE 3-HP Electric Motor; ITT SY5463000004005-463-24-025-001 Heat Exchanger; 2 FISHER Actuators; BETTIS Sending Units; TITAN FABRICATORS Tank, Item No. 104-A, Manufactured in 2013, Mfg. No. 11020, Top and Side Outlets.

**BN BIODIESEL
NEWTON, ILLINOIS USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
-------	----------	--------------	-------	---------------	-------------

106 – LOT KREIDO SKID 104B, CP-104B REACTION SKID

Consisting of but not necessarily limited to: Manufactured in 2007, 10' Long x 32' Long, Rated at 12.5 Million Gallons per Year; HUTCHISON SEPARATORS HH360 Centrifuge, SN 4155507, BALDOR 7.5-HP Electric Motor; KREIDO HTC0074 Reactor, SN 000100, 2007; Centrifuge Surge Drum, No. 11-V-104B, SN 152, 812 Gallon Capacity, 24" Dia. Side Manway, LIGTNIN Top Mounted Agitator, BALDOR 5-HP Electric Motor, WILLIAMS 15F2 Valve; Centrifuge Heavy Phase Drum, No. 11-V-114A, SN 160, 162 Gallon Capacity; PUMP PAC Hydraulic Power Pack, Stainless Steel, 22" x 12" x 12" Reservoir Tank, 2" Outlet, ENARDO Bi-Directional Model 301/D-IL-440; SKF Hydraulic Power Pack, Part No. ZR190X2BW200V1, SN 0002, 23" x 35" x 19" Stainless Reservoir, 2 BALDOR 1.5-HP Motors, Model 131002980 Heat Exchanger; ITT SY5463000004005-463-24-025-001 Heat Exchanger; FISHER Actuators; BETTIS Sending Units.

107 – LOT KREIDO SKID 104C, CP-104C REACTION SKID

Consisting of but not necessarily limited to: Manufactured in 2007, 10' Long x 32' Long, Rated at 12.5 Million Gallons per Year; HUTCHISON SEPARATORS HH360 Centrifuge, SN 4155508, BALDOR 7.5-HP Electric Motor; KREIDO HTC0074 Reactor, SN 000100, 2007 (Not Assembled - in INOVATION CENTER BUILDING); Centrifuge Surge Drum, No. 11-V-104B, SN 153, 812 Gallon Capacity, 24" Dia. Side Manway, LIGTNIN Top Mounted Agitator, BALDOR 5-HP Electric Motor, WILLIAMS 15F2 Valve; Centrifuge Heavy Phase Drum, No. 11-V-114A, SN 161, 162 Gallon Capacity; PUMP PAC Hydraulic Power Pack, Stainless Steel, 22" x 12" x 12" Reservoir Tank, 2" Outlet, ENARDO Bi-Directional Model 301/D-IL-440 (Not Assembled - in INOVATION CENTER BUILDING); SKF Hydraulic Power Pack, Part No. ZR190X2BW200V1, SN 0002, 23" x 35" x 19" Stainless Reservoir, 2 BALDOR 1.5-HP Motors, Model 131002980 Heat Exchanger (Not Assembled - in INOVATION CENTER BUILDING); VIKING AK4193 Pump, SN 11993171, RELIANCE 3-HP Electric Motor; ITT SY5463000004005-463-24-025-001 Heat Exchanger; FISHER Actuators; BETTIS Sending Units.

**BN BIODIESEL
NEWTON, ILLINOIS USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
-------	----------	--------------	-------	---------------	-------------

108 – LOT KREIDO SKID 104D, CP-104D REACTION SKID

Consisting of but not necessarily limited to: Manufactured in 2007, 10' Long x 32' Long, Rated at 12.5 Million Gallons per Year; HUTCHISON SEPARATORS HH360 Centrifuge, SN 4155511, BALDOR 7.5-HP Electric Motor; KREIDO HTC0074 Reactor, SN 000103, 2007 (Not Assembled - in INOVATION CENTER BUILDING); Centrifuge Surge Drum, No. 11-V-104B, SN 190, 812 Gallon Capacity, 24" Dia. Side Manway, LIGTNIN Top Mounted Agitator, BALDOR 5-HP Electric Motor; Centrifuge Heavy Phase Drum, No. 11-V-114A, SN 191, 162 Gallon Capacity; PUMP PAC Hydraulic Power Pack, Stainless Steel, 22" x 12" x 12" Reservoir Tank, 2" Outlet, ENARDO Bi-Directional Model 301/D-IL-440 (Not Assembled - in INOVATION CENTER BUILDING); SKF Hydraulic Power Pack, Part No. ZR190X2BW200V1, SN 0004, 23" x 35" x 19" Stainless Reservoir, 2 BALDOR 1.5-HP Motors, Model 131002980 Heat Exchanger (Not Assembled - in INOVATION CENTER BUILDING); VIKING AK4193 Pump, RELIANCE 3-HP Electric Motor; ITT SY5463000004005-463-24-025-001 Heat Exchanger; FISHER Actuators; BETTIS Sending Units.

109 – LOT KREIDO SKID 105, CP-105 BIODIESEL FEED, VACUUM AND VENT SKID

Consisting of but not necessarily limited to: Manufactured in 2008; 8" Wide x 17'L Skid, Rod and Bar Grating Floor; Feed Drum, Tank 11-V-105 C/L, SN 154, 1029 Gallons Nominal Capacity; Separator Tank, Tank 11-V-113, SN 198, Approximately 110 Gallon Capacity; MANUFACTURER UNKNOWN Pump, 3-HP Electric Motor; FISHER Type 585C Actuator, Size 25; 2 Fisher Actuators; Vertical Vent Scrubber, No. 11-C-104; .75-HP Pump Motor (No Pump); GOULDS Pump with 15-HP Electric Motor; GEERCO 4-TSPLMSS Pump, 15-HP Electric Motor.

110 – LOT ION EXCHANGE SKID

Consisting of but not necessarily limited to: Manufactured in 2007; Vertical Tank, Tank No. 11-V-106, SN C-2417A, Approximately 12000 Gallon Capacity; Vertical Tank, Tank No. 11-V-107, SN C-2417B, Approximately 12000 Gallon Capacity; 4- GOULDS 3298 Pumps, AMERICAN MOTORS 7.5 HP Electric Motors; 11- RADIUS ENGINEERING Actuators; 2- ENDRESS & HAUSER Prowirl 72 Gas Flow Measuring Systems; Various Piping and Valves.

111 – LOT KREIDO SKID 113, JB-113 BIODIESEL HOLDING TANK

Consisting of but not necessarily limited to: Manufactured in 2008; Biodiesel Holding Tank, Tank No. 11-T-109, SN 164, Vertical, 9711 Gallon Nominal Capacity; Tank No. 11-T-110, SN 165, Vertical, 9711 Gallon Nominal Capacity; 2 GOULDS 3196 Pumps, Size 2X3-6, Emerson 7.5-HP Electric Motor.

BN BIODIESEL NEWTON, ILLINOIS USA

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
-------	----------	--------------	-------	---------------	-------------

112 – LOT KREIDO SKID 106, CP-106 BIODIESEL DISTILLATION TOWER

Consisting of but not necessarily limited to: Manufactured in 2008; 10' Wide x 31' Long, Rod and Bar Grating Floor; Biodiesel Distillation Column, Tank 11-C-101, SN 168, 42-2-1/16" Tall x 84" Diameter, 4120 Gallon Nominal Capacity, Manways, Inlets and Outlets; Vertical Tank, SN 92114, Manufactured in 2013; ORION INSTRUMENTS 1AB-1EJ3-2AO/048 Magnetic Level Indicator, SN 6729-001; Vertical Tank, Tank No. 11-V-207, SN 196, Insulated; 2 GOULDS 3196 Pumps, EMERSON 7.5 HP Electric Motors; 4 FISHER Actuators; MAGNETEX Pump; ITT Part No. SY548700000100P110 Plate Heat Exchanger, Tag# E107, SN 987028-02, Manufactured in 2007; MICRO-MOTION R200S418NCAAE2222 Flow Meter, SN 14058866, Manufactured in 2007; 2 PENTAIR 1310460 Tube Filters, Manufactured in 2012; Various Platforms, Walkways, Stairs.

113 – LOT KREIDO SKID 107, CP-107 GLYCEROL DISTILLATION TOWER

Consisting of but not necessarily limited to: Manufactured in 2008; 10' Wide x 24' Long, Rod and Bar Grating Floor; Glycerol Distillation Column, Tank No. 11-C-102, SN 167, 36" O.D. x 36'-6" High, Stainless Steel, 2 Manways; Glycerol Surge Drum, No. 11-V-109, SN 156, 2007, 465 Gallon Nominal Capacity, Insulated; Reflux Drum, Tank No. 11-V-110, SN 157, 2007, 566 Gallons Nominal Capacity; ITT SY5443000296005-443-23-008-018 Heat Exchanger, SN 98708-09, 2007, Plate Type; ITT Heat Exchanger, SN 98708-04, 2007, Plate Type; MICRO-MOTION R100S128NCAAEZZZK Flow Meter, SN 14042532; RELIANCE 2-HP Electric Motor, No Pump; ITT SY5414000032005-414-23-080-002, SN 987028-07, 2007, Plate Type; FERRIS ENGINEERING Relief Valve; Various FISHER Actuators; Piping, Walkways, Stairs, Platforms.

114 – LOT KREIDO SKID 109, CP-109 MEOH DISTILLATION TOWER

Consisting of but not necessarily limited to: Manufactured in 2008; 10' Wide x 26' Long, Rod and Bar Grating Floor; Insulated Glycerol Surge Drum, Tank No.# 11-V-109, SN 156, 2007, 465 Gallon Nominal Tank Capacity; MEOH Distillation Column, Tank No. 11-C-103, SN 168, 2008, 4154 Gallons Nominal Tank Capacity, 2 Manways, FERRIS ENGINEERING Relief Valve, 35'-6" High; Methanol Reflux Drum, Tank No. 11-V-111, 566 Gallons Nominal Tank Capacity, Original Tank Split and was Replaced by New Tank; 2 MICRO -Motion Flow Meters; VARIOUS Sending Units; ITT SY5448000112005-448-23-009-008 Heat Exchanger, SN 993303-01, 2007, Plate Type; 5 Various FISHER Actuators; MAGNATEX MP222-N40N-180TC Pump, Size 1X3/4X6, 25-GPM, Electric Motor; MAGNATEX MP221-N40N-180TC Pump, Size 1X3/4X6, 12-GPM, Electric Motor; ORION INSTRUMENTS Magnetic Level Indicator; 2 MICRO-MOTION R100S128NCAAEZZZ Flow Meters, SNs 14052065 and 14052066, 2007; FERRIS ENGINEERING Relief Valve; ITT SY5414000033005-414-23-116-002 Heat Exchanger, SN 987028-08, 2007, Plate Type (Not Installed - In Innovation Center Building) Various Platforms, Walkways, Stairs, Piping.

**BN BIODIESEL
NEWTON, ILLINOIS USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
-------	----------	--------------	-------	---------------	-------------

EAST OF UNFINISHED PROCESS BUILDING

115 – LOT MISCELLANEOUS ACID TANKS IN CONTAINMENT AREA

Consisting of but not necessarily limited to: 3 Vertical Poly Tanks, 3000 Gallon Capacity, Bottom Outlets, Closed Tops; 1 is Insulated; 2 are for Acid; Pump and 1 HP Motor.

116 – LOT VARIOUS PIPING for TANK FARM

Consisting of but not necessarily limited to: Various Lengths of 4" Pipe with Gate Valves, Estimated to be Over 1000 Lineal Feet; GUSHERS Model PCL3X4-8BSEHCBM-A Pump, BALDOR 30-HP Electric Motor; FINISH TECHNOLOGY DB22V-E-FF-2C-21-NS Pump, BALDOR 10-HP Electric Motor; MAGNATEX 4X3X8P Pump, BALDOR 40-HP Motor; MAGNATEX 3X1.5X8 Pump, Model MPL84-8-V65N-2501C, BALDOR 15-HP Electric Motor; GUSHER Model PCL2X3-6SEH-CBM-A Centrifugal Pump, BALDOR 25-HP Electric Motor; 2 FINISH TECHNOLOGIES DB22P-FF-3B-21-NS Pumps, BALDOR 10-HP Electric Motors; 2 GUSHERS PCL3X4-8BSEH-CBM-A Pumps, BALDOR 25-HP Electric Motor.

TANK FARM SUPPORT BUILDING

117 – LOT ELECTRICAL IN TANK FARM SUPPORT BUILDING

Consisting of but not necessarily limited to: 1-SOLOMON CORP 500 Transformer, No. TJ1118 (Outside of Building); ALLEN-BRADLEY ArcShield Centerline 2100 Panel, Catalog# X ESVS80/11, 1200A Horizontal Power, 200A Vertical Power, Main Disconnect; ALLEN-BRADLEY ArcShield Centerline 2100 Panel, Catalog# X ESVS80/12, 1200A Horizontal Power, 200A Vertical Power, Main Disconnect; NOTE: SOLOMON Transformer is Owned by the City of Newton; SIEMENS 30-KVA Transformer is Owned by Iuka Bank and Stays with Tract 1.

118 – 1- WERNER EXTENSION LADDER IN TANK FARM SUPPORT BUILDING
28' Ladder, Fiberglass.

119 – LOT FAIRBANKS RAILROAD SCALES

2000 RRT 7156-R In Rail Railroad Scale, 4 Sections, 170 Ton Capacity (Not Completely Assembled).

120 – 1- KREIDO TANK

197 Vertical Tank, Stainless Steel, Estimated 2000 Gallon Capacity, Top and Side Ports, Bottom Outlets, On Legs.

121 – 1- FAIRBANKS TRUCK SCALE

Drive on Truck Scale, In Ground, 100 Ton Capacity, 12'W x 80'L Bed; Poles and Aluminum Bases for Scale Side Scale Read Outs (In Main Building); No Scale Indicator.

122 – 1- FAIRBANKS TRUCK SCALE

Drive on Truck Scale, In Ground, 100 Ton Capacity, 12'W x 80'L Bed; Poles and Aluminum Bases for Scale Side Scale Read Outs (In Main Building); No Scale Indicator.

14 of 15

-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"

**BN BIODIESEL
NEWTON, ILLINOIS USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
-------	----------	--------------	-------	---------------	-------------

PROCESS CONTROL LAB BUILDING

- 123 – LOT SAF-T-CART CYLINDER CAGE IN PROCESS CONTROL/LAB BUILDING
ESTS-9 9-Cylinder Capacity Gas Tank Cage, No Lift; HYPRO 2" Trash Pump with Gas Engine, Discharge Hoses; 1" Submersible Pump; Extension Cord.
- 124 – LOT OFFICE FURNITURE AND EQUIPMENT IN THE PROCESS CONTROL/LAB BUILDING
Consisting of but not necessarily limited to: 2-Laminate Top Tables, 24" x 60"; DELL Server Cabinet with ULTRA Power Supply, ACER 22" Flat Screen Monitor; 2-Desk Chairs, Armrests, 5-Roller Bases; L-Shaped Work Station, 24" x 72" x 24", Drawer Pedestal; 2 DELL Precision T1650 Tower PCs with ACER 22" Monitors; SAMSUNG 40" LED 3D Television, Wall Mounted; SHARP Aquos 60" HD Television, Wall Mounted.
- 125 – LOT CONTENTS OF LAB IN PROCESS CONTROL/LAB BUILDING
Consisting of but not necessarily limited to: Folding Chair; EAGLE Acids/Corrosive Cabinet, Model CRA-P44 4-Doors, Poly Construction with Shelves, 22 Gallon Capacity; SANDUSKY 2 Door Steel Cabinet, Glass Panels, 36" Wide x 24" Deep x 72" High, and Contents; Laminate Top Lab Work Table, 30" x 72", Wired Overshelf, 4 Drawers, Cabinet Door, Steel Frame; HP Pavilion Tower PC, ACER 22" Monitor; 1/2 Round Table, 24" Radius x 48", Laminate Top; Desk Chair, Arm Rests, 5 Roller Base; Laminate Top Table, 24" x 60"; COLE PARMER Variable Volume Pipettor, SN 13091285; COLE PARMER #17250-10 Centrifuge, SN 3228; OHAUS CS Series 200 Digital Scale; OAKTON pH5+ pH Meter, SN 2089616, Hand Held, in Case.
- 126 – LOT POWER ROOM IN PROCESS CONTROL/LAB BUILDING
2 ALLEN-BRADLEY ArcShield Centerline 2100 Electrical Panel, Catalog# X LSVS80/10, 16 Banks, 1200A Horizontal Power, 300A Vertical Power; Control Panel, Wall Mounted, 2 Doors, 6' Wide x 7-1/2' Tall.
- 127 – LOT LOT MISCELLANEOUS IN STORAGE ROOM OF PROCESS CONTROL/LAB BUILDING
Consisting of but not necessarily limited to: 2 Collapsible Pump Discharge Hoses; 6' Step Ladder; 2 Wheel Hand Truck; 2- 55 Gallon Size Poly Drums; 1- 55 Gallon Size Steel Drum; Miscellaneous Hoses; 1-Oil/Water Separator Located in Basement.