

OILSEED SOYBEAN/HEMP CRUSHING EQUIPMENT ONLINE ONLY

AUCTION

www.maascompanies.com

ONLINE BIDDING ENDS WEDNESDAY, JUNE 9TH 4:00PM CST

OILSEED SOYBEAN/HEMP
CRUSHING EQUIPMENT

EQUIPMENT CATALOG

CUMBERLAND, WI 54829

**BUY IT ALL
PRIOR TO
AUCTION!!
Call For Details!!**

MAAS

companies inc

www.maascompanies.com

OILSEED PROCESSING EQUIPMENT

**OILSEED SOYBEAN/HEMP CRUSHING EQUIPMENT AUCTION
CUMBERLAND, WISCONSIN USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
-------	----------	--------------	-------	---------------	-------------

2.45 Million Bushel/Year Oilseed Crushing Facility Equipment Package

- 300 – CONVEYOR, TUBE TYPE, AUGER
8 in. dia. x 25 ft. high (est.), with BALDOR 2 hp (approx.) Electric Motor (Delivery from outside Conical Hopper Bottom GSI Grain Bin).
- 301 – VALMETAL ROLLER-GRINDER MILL
2R-12 4120 With Discharge Hopper, powered by BALDOR 10 hp Electric Motor.
- 302 – CD® CONDITIONER / FEED CONVEYOR
Model 350 s/n 07T1125 6 in. dia. x 8 ft. long, Tube Type, Steam Injection, powered by BALDOR Electric Motor.
- 303 – VALMETAL CONVEYOR
6 in. dia. x 9 ft. long (approx.) Tube Type, powered by BALDOR Electric Motor.
- 304 – UNIVERSAL ELEVATOR LEG
C6-600ED 73083 (Mfg. 4/11/2013) 25 ft. Tall (est.), Galvanized Steel; 600 BPH; 7 in. x 4.5 in. Buckets on 5 in. Centers; 12 gauge Boot and Head Casing; 14 gauge Twin Box Columns.
- 305 – SCHULD/BUSHNELL REHEATING UNIT
Model HP60-6x7, White Booted s/n 01248 (Mfg. 11/29/2006) Consisting of but not necessarily limited to: Tank, 6 ft. dia. x 7 ft. high Straight Wall Height, with 5 ft. tall (est.) 60° Conical Hopper Discharge Bottom, having 2-1/2 in. dia. (est.) Interior Steam Heating Coil Grid, Insulated with Metal Jacket, Mounted on Steel 'T'-Post Legs; 262 cu. ft. (5.2 tons) capacity.
- 306 – CONVEYOR, TUBE TYPE
4 in. dia. x 12 ft. long (est.), powered by BALDOR Electric Motor, with Round Type Discharge Gate.
- 307 – VALMETAL CONVEYOR, DRAG TYPE
Model VM-4010 57556 24 in. high x 14 in. wide x 50 ft. long (approx.), Galvanized Steel, powered by Electric Motor.
- 308 – AGICO/ANYANG GENERAL INTERNATIONAL OIL PRESS, SCREW TYPE
YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 3rd Level, Co. No. 21.
- 309 – AGICO/ANYANG GENERAL INTERNATIONAL OIL PRESS, SCREW TYPE
YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 3rd Level, Co. No. 20.

1 of 6

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"*

**OILSEED SOYBEAN/HEMP CRUSHING EQUIPMENT AUCTION
CUMBERLAND, WISCONSIN USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
310		AGICO/ANYANG GENERAL INTERNATIONAL	OIL PRESS, SCREW TYPE		YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 3rd Level, Co. No. 19.
311		AGICO/ANYANG GENERAL INTERNATIONAL	OIL PRESS, SCREW TYPE		YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 3rd Level, Co. No.18.
312		AGICO/ANYANG GENERAL INTERNATIONAL	OIL PRESS, SCREW TYPE		YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 3rd Level, Co. No. 17.
313		AGICO/ANYANG GENERAL INTERNATIONAL	OIL PRESS, SCREW TYPE		YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 3rd Level, Co. No. 16.
314		AGICO/ANYANG GENERAL INTERNATIONAL	OIL PRESS, SCREW TYPE		YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 3rd Level, Co. No. 15.
315		VALMETAL	PRESS FEED CONVEYOR		Tube Type with Screw Auger, 6 in. dia. x 25 ft. 1 (est.) Powered by 2 hp. (est.) Electric Motor, having 7- Discharge Ports each Equipped with Knife Gate, Manually Controlled, and Flexible Hose into Press Hopper.
316		NORTHERN INDUSTRIAL	ROUGHNECK ELECTRIC TROLLEY HOIST		750 lbs. (est.) capacity, powered by Electric Motor, with Trolley and Pendant Operators Control.
317		AGICO/ANYANG GENERAL INTERNATIONAL	OIL PRESS, SCREW TYPE		YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 2nd Level, Co. No. 7.
318		AGICO/ANYANG GENERAL INTERNATIONAL	OIL PRESS, SCREW TYPE		YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 2nd Level, Co. No. 13.

**OILSEED SOYBEAN/HEMP CRUSHING EQUIPMENT AUCTION
CUMBERLAND, WISCONSIN USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
319		AGICO/ANYANG GENERAL INTERNATIONAL			OIL PRESS, SCREW TYPE YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 2nd Level, Co. No. 12.
320		AGICO/ANYANG GENERAL INTERNATIONAL			OIL PRESS, SCREW TYPE YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 2nd Level, Co. No. 11.
321		AGICO/ANYANG GENERAL INTERNATIONAL			OIL PRESS, SCREW TYPE YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 2nd Level, Co. No. 10.
322		AGICO/ANYANG GENERAL INTERNATIONAL			OIL PRESS, SCREW TYPE YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 2nd Level, Co. No. 9.
323		AGICO/ANYANG GENERAL INTERNATIONAL			OIL PRESS, SCREW TYPE YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 2nd Level, Co. No. 8.
324		AGICO/ANYANG GENERAL INTERNATIONAL			OIL PRESS, SCREW TYPE YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 1st Level, Co. No. not displayed.
325		AGICO/ANYANG GENERAL INTERNATIONAL			OIL PRESS, SCREW TYPE YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 1st Level, Co. No. 6.
326		AGICO/ANYANG GENERAL INTERNATIONAL			OIL PRESS, SCREW TYPE YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 1st Level, Co. No. 5.
327		AGICO/ANYANG GENERAL INTERNATIONAL			OIL PRESS, SCREW TYPE YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 1st Level, Co. No. 14.

3 of 6

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"*

**OILSEED SOYBEAN/HEMP CRUSHING EQUIPMENT AUCTION
CUMBERLAND, WISCONSIN USA**

LOT # QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 328 – AGICO/ANYANG GENERAL INTERNATIONAL OIL PRESS, SCREW TYPE
YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 1st Level, Co. No. 3.
- 329 – AGICO/ANYANG GENERAL INTERNATIONAL OIL PRESS, SCREW TYPE
YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 1st Level, Co. No. not displayed.
- 330 – AGICO/ANYANG GENERAL INTERNATIONAL OIL PRESS, SCREW TYPE
YZS 130 With Automatic Heater, Infeed Hopper having Powered Agitator, powered by 25 hp/18.5 kW Electric Motor, Multi-Groove Drive Sheave with 'V'-Belt Power Transmission, 1st Level, Co. No. 1.
- 331 – LOT 10 CRATES, WOOD- 2 METAL WIRE TOTES RELATED SPARE PARTS
Consisting of but not necessarily limited to: 2- AGICO/ANYANG GENERAL INTERNATIONAL Type YZS-130 Expellers, s/n 1408001 (Mfg. 08/25/2014) and s/n N/A; 18- Gearboxes; 7- Tail Stock Housings; 2- Feed Hoppers; 2-Electric Motors; 4- Drive Sheaves, 4- Groove Each; 2- Electric Motors, Used; (NOTE: Apparently, New/Unused, Partially Assembled, Mounted on Shipping Skid.) Heavy Duty Material Moving Dolly with Channel Jig having Hydraulic Cylinder.
- 332 – OIL COLLECTION SURGE TANK
Horizontal, 1880 gal. (approx.) capacity, 4 ft. dia. x 20 ft. long (est.), Steam Heated, mounted on Fabricated Steel Saddles, Unitized and Mounted in a 10 ft. high (est.) 'H' Beam Steel Frame. (NOTE: Both Tanks are Unitized and Mounted on a Single Vertical Frame.)
- 333 – OIL COLLECTION SURGE TANK
Horizontal, 1880 gal. (approx.) capacity, 4 ft. dia. x 20 ft. long (est.), Steam Heated, mounted on Fabricated Steel Saddles, unitized and mounted in a 10 ft. high (est.) 'H' Beam Steel Frame. (NOTE: Both Tanks are Unitized and Mounted on a Single Vertical Frame.)

**OILSEED SOYBEAN/HEMP CRUSHING EQUIPMENT AUCTION
CUMBERLAND, WISCONSIN USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
345	–	UNASSIGNED			
346	–	UNASSIGNED			
347	–	MOTOR AUTOMATION CONTROL CENTERS			Free Standing Steel Cabinets, Plant PLC for the Presses; Contents Tanks; Augers; Conveyors, and Related.
348	–	UNASSIGNED			
349	–	UNASSIGNED			
350	–	SUPERSTRUCTURE FOR AGICO/ANYANG GENERAL INTERNATIONAL OIL PRESSES			Consisting of but not necessarily limited to: 3- Level Fabricated Carbon Steel Frame Work, 'I' Beam and 4 in. x 4 in. Square Tubing, having GRIP STRUT® (or similar) Galvanized Decking, Stairs and Platform Safety Railings having KEE KLAMP (or similar) Connection Fittings, Toe Board and Related Attachments.